ELSEVIER

Brain Research 907 (2001) 245–246

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Hayashi, T. (907) 130
Abe, K., Taguchi, K., Wasai, T., Ren, J., Utsunomiya, I., Shinohara, T., Miyatake, T. and Sano, T. Biochemical and pathological study of endogenous 1-benzyl-1,2,3,4-tetrahydroisoquinoline-induced parkinsonism in the mouse (907) 134
Adamchik, Y., see Baskys, A. (907) 188
Addae, J.I., see Youssef, F.F. (907) 144
Arnswald, A., see Hellweg, R. (907) 100
Azimi-Zonooz, A., Kawa, C.B., Dowell, C.D. and Olivera, B.M. Autoradiographic localization of N-type VGCCs in gerbil hippocampus and failure of ω-conotoxin MVIIA to attenuate neuronal injury after transient cerebral ischemia (907) 61

Baskys, A. and Adamchik, Y. Neuroprotective effects of extracellular glutamate are absent in hippocampal organotypic cultures treated with the amyloid peptide $A\beta_{25-35}$ (907) 188
Billington, C.J., see Kim, E.-M. (907) 125
Bishop, G.M. and Robinson, S.R. Quantitative analysis of cell death and ferritin expression in response to cortical iron: implications for hypoxia–ischemia and stroke (907) 175
Bloom, S.R., see Sunter, D. (907) 27
Bodnar, R.J., see Shane, R. (907) 109

Cafferata, E.G.A., see Radrizzani, M. (907) 162
Carelli, R.M. and Ijames, S.G. Selective activation of accumbens neurons by cocaine-associated stimuli during a water/cocaine multiple schedule (907) 156
Carminatti, H., see Radrizzani, M. (907) 162
Classey, J.D., Knight, Y.E. and Goadsby, P.J. The NMDA receptor antagonist MK-801 reduces Fos-like immunoreactivity within the trigeminocervical complex following superior sagittal sinus stimulation in the cat (907) 117
Coper, H., see Ossowska, K. (907) 71

Dai, J., see Ichikawa, J. (907) 151
Dakin, C.L., see Sunter, D. (907) 27
De Deyn, P.P., see D'Hooge, R. (907) 35
D'Hooge, R., Van Dam, D., Franck, F., Gieselmann, V. and De Deyn, P.P. Hyperactivity, neuromotor defects, and impaired learning and memory in a mouse model for metachromatic leukodystrophy (907) 35
Di Tella, M.C., see Radrizzani, M. (907) 162
Dickson, D., see Frackowiak, J. (907) 44
Dowell, C.D., see Azimi-Zonooz, A. (907) 61

Edwards, C.M.B., see Sunter, D. (907) 27

Fink, H., see Hellweg, R. (907) 100
Frackowiak, J., Mazur-Kolecka, B., Kaczmarski, W. and Dickson, D. Deposition of Alzheimer's vascular amyloid-β is associated with decreased expression of brain L-3-hydroxyacyl-coenzyme A dehydrogenase (ERAB) (907) 44
Francis, P.T., see Ramirez, M.J. (907) 222
Franck, F., see D'Hooge, R. (907) 35

Gardiner, J., see Sunter, D. (907) 27
Gerlach, M., see Ibarra, C. (907) 54
Gerrits, R.J., Stein, E.A. and Greene, A.S. Anesthesia alters NO-mediated functional hyperemia (907) 20
Gieselmann, V., see D'Hooge, R. (907) 35
Goadsby, P.J., see Classey, J.D. (907) 117
González-Guerrico, A., see Radrizzani, M. (907) 162
Grace, M.K., see Kim, E.-M. (907) 125
Greene, A.S., see Gerrits, R.J. (907) 20

Hayashi, T., Seki, T., Sato, K., Iwai, M., Ri Zhang, W., Manabe, Y. and Abe, K. Expression of polysialylated neural cell adhesion molecule in rat brain after transient middle cerebral artery occlusion (907) 130
Hellweg, R., Thomas, H., Arnswald, A., von Richthofen, S., Kay, S., Fink, H., Morgenstern, R. and Hörtnagl, H. Serotonergic lesion of median raphe nucleus alters nerve growth factor content and vulnerability of cholinergic septohippocampal neurons in rat (907) 100
Heslop, K.E., see Ramirez, M.J. (907) 222
Higuchi, M., see Seeburg, P.H. (907) 233
Hörtnagl, H., see Hellweg, R. (907) 100

Ibarra, C., Nedvetsky, P.I., Gerlach, M., Riederer, P. and Schmidt, H.H.H.W. Regional and age-dependent expression of the nitric oxide receptor, soluble guanylyl cyclase, in the human brain (907) 54
Ichikawa, J., Dai, J. and Meltzer, H.Y. DOI, a 5-$HT_{2A/2C}$ receptor agonist, attenuates clozapine-induced cortical dopamine release (907) 151
Idoyaga Vargas, V.P., see Radrizzani, M. (907) 162
Igarashi, H., Kwee, I.L., Nakada, T., Katayama, Y. and Terashi, A. ^{1}H magnetic resonance spectroscopic imaging of permanent focal cerebral ischemia in rat: longitudinal metabolic changes in ischemic core and rim (907) 208
Ijames, S.G., see Carelli, R.M. (907) 156
Iwai, M., see Hayashi, T. (907) 130

Kaczmarski, W., see Frackowiak, J. (907) 44
Kaneda, S., see Sakuma, K. (907) 1
Katayama, Y., see Igarashi, H. (907) 208
Kawa, C.B., see Azimi-Zonooz, A. (907) 61
Kay, S., see Hellweg, R. (907) 100
Kim, E.-M., Shi, Q., Olszewski, P.K., Grace, M.K., O'Hare, E., Billington, C.J. and Levine, A.S. Identification of central sites involved in butorphanol-induced feeding in rats (907) 125
Knight, Y.E., see Classey, J.D. (907) 117
Kuner, T., see Seeburg, P.H. (907) 233
Kwee, I.L., see Igarashi, H. (907) 208

Lazar, D.A., see Shane, R. (907) 109
Levine, A.S., see Kim, E.-M. (907) 125
Li, Q. and Puro, D.G. Adenosine activates ATP-sensitive K^+ currents in pericytes of rat retinal microvessels: role of A_1 and A_{2a} receptors (907) 93
Li, Yu.-J., see Sakuma, K. (907) 1

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02696-8

Lorenc-Koci, E., see Ossowska, K. (907) 71

Manabe, Y., see Hayashi, T. (907) 130
Mazur-Kolecka, B., see Frackowiak, J. (907) 44
McRae, A., see Youssef, F.F. (907) 144
Meerlo, P. and Turek, F.W.
Effects of social stimuli on sleep in mice: non-rapid-eye-movement (NREM) sleep is promoted by aggressive interaction but not by sexual interaction (907) 84
Meltzer, H.Y., see Ichikawa, J. (907) 151
Michelson, H.B., see Yang, Q. (907) 139
Miyatake, T., see Abe, K. (907) 134
Morgan, I., see Sunter, D. (907) 27
Morgenstern, R., see Hellweg, R. (907) 100
Murphy, K.G., see Sunter, D. (907) 27

Nakada, T., see Igarashi, H. (907) 208
Nakano, H., see Sakuma, K. (907) 1
Nedvetsky, P.I., see Ibarra, C. (907) 54

O'Hare, E., see Kim, E.-M. (907) 125
Olivera, B.M., see Azimi-Zonooz, A. (907) 61
Olszewski, P.K., see Kim, E.-M. (907) 125
Ossowska, K., Wolfarth, S., Schulze, G., Wardas, J., Pietraszek, M., Lorenc-Koci, E., Śmiałowska, M. and Coper, H.
Decline in motor functions in aging is related to the loss of NMDA receptors (907) 71

Pasternak, G.W., see Shane, R. (907) 109
Perandones, C., see Radrizzani, M. (907) 162
Pietraszek, M., see Ossowska, K. (907) 71
Pivetta, O., see Radrizzani, M. (907) 162
Puro, D.G., see Li, Q. (907) 93

Radrizzani, M., Vilá-Ortiz, G., Cafferata, E.G.A., Di Tella, M.C., González-Guerrico, A., Perandones, C., Pivetta, O., Carminatti, H., Idoyaga Vargas, V.P. and Santa-Coloma, T.A.
Differential expression of CPD1 during postnatal development in the mouse cerebellum (907) 162
Ramirez, M.J., Heslop, K.E., Francis, P.T. and Rattray, M.
Expression of Amyloid precursor protein, tau and presenilin RNAs in rat hippocampus following deafferentation lesions (907) 222
Rattray, M., see Ramirez, M.J. (907) 222
Rayes, E., see Sunter, D. (907) 27
Ren, J., see Abe, K. (907) 134
Ri Zhang, W., see Hayashi, T. (907) 130
Riederer, P., see Ibarra, C. (907) 54
Robinson, S.R., see Bishop, G.M. (907) 175
Rossi, G.C., see Shane, R. (907) 109

Sakuma, K., Watanabe, K., Sano, M., Uramoto, I., Nakano, H., Li, Yu.-J., Kaneda, S., Sorimachi, Y., Yoshimoto, K., Yasuhara, M. and Totsuka, T.
A possible role for BDNF, NT-4 and TrkB in the spinal cord and muscle of rat subjected to mechanical overload, bupivacaine injection and axotomy (907) 1
Sano, M., see Sakuma, K. (907) 1
Sano, T., see Abe, K. (907) 134
Santa-Coloma, T.A., see Radrizzani, M. (907) 162
Sato, K., see Hayashi, T. (907) 130
Schmidt, H.H.H.W., see Ibarra, C. (907) 54
Schulze, G., see Ossowska, K. (907) 71
Seeburg, P.H., Single, F., Kuner, T., Higuchi, M. and Sprengel, R.
Genetic manipulation of key determinants of ion flow in glutamate receptor channels in the mouse (907) 233
Seki, T., see Hayashi, T. (907) 130
Shane, R., Lazar, D.A., Rossi, G.C., Pasternak, G.W. and Bodnar, R.J.
Analgesia elicited by OFQ/nociceptin and its fragments from the amygdala in rats (907) 109
Shi, Q., see Kim, E.-M. (907) 125
Shinohara, T., see Abe, K. (907) 134
Single, F., see Seeburg, P.H. (907) 233
Śmiałowska, M., see Ossowska, K. (907) 71
Sorimachi, Y., see Sakuma, K. (907) 1
Sprengel, R., see Seeburg, P.H. (907) 233
Stein, E.A., see Gerrits, R.J. (907) 20
Stone, T.W., see Youssef, F.F. (907) 144
Sunter, D., Morgan, I., Edwards, C.M.B., Dakin, C.L., Murphy, K.G., Gardiner, J., Taheri, S., Rayes, E. and Bloom, S.R.
Orexins: effects on behavior and localisation of orexin receptor 2 messenger ribonucleic acid in the rat brainstem (907) 27

Taguchi, K., see Abe, K. (907) 134
Taheri, S., see Sunter, D. (907) 27
Terashi, A., see Igarashi, H. (907) 208
Thomas, H., see Hellweg, R. (907) 100
Thompson, A.M. and Thompson, G.C.
Serotonin projection patterns to the cochlear nucleus (907) 195
Thompson, G.C., see Thompson, A.M. (907) 195
Totsuka, T., see Sakuma, K. (907) 1
Turek, F.W., see Meerlo, P. (907) 84

Uramoto, I., see Sakuma, K. (907) 1
Utsunomiya, I., see Abe, K. (907) 134

Van Dam, D., see D'Hooge, R. (907) 35
Vilá-Ortiz, G., see Radrizzani, M. (907) 162
von Richthofen, S., see Hellweg, R. (907) 100

Wardas, J., see Ossowska, K. (907) 71
Wasai, T., see Abe, K. (907) 134
Watanabe, K., see Sakuma, K. (907) 1
Wolfarth, S., see Ossowska, K. (907) 71

Yang, Q. and Michelson, H.B.
Gap junctions synchronize the firing of inhibitory interneurons in guinea pig hippocampus (907) 139
Yasuhara, M., see Sakuma, K. (907) 1
Yoshimoto, K., see Sakuma, K. (907) 1
Youssef, F.F., Addae, J.I., McRae, A. and Stone, T.W.
Long-term potentiation protects rat hippocampal slices from the effects of acute hypoxia (907) 144